



## संजय गंधी स्नातकोत्तर आयुर्विज्ञान संस्थान, लखनऊ

Sanjay Gandhi Post Graduate Institute of Medical Sciences,  
Rae-Bareilly Road, Lucknow-226014

### Corrigendum

**Tender for operation and CAMC of Medical Gas Pipe line System -2018**  
(Tender no: PGI /Contract /10495 /17)

**NIT /Adv. No I/06/Contract /2018-19**

The following clauses are being inserted as Point no. (6) and (7) of the Section-III of Tender Document uploaded on 18.05.2018 in the website 'www.etender.up.nic.in'. The bidders are requested to refer the same and submit their bids.


(6) **PENALTY**

(a) The Penalty shall be charged as follows in case of failure of any of the following systems.

Sl.	Detail of Gas Supply System	Penalty charges
i	Oxygen Supply Through Liquid Oxygen Tank / Oxygen Manifold System	Rs. 5,000/- for first 24 hrs. and Rs. 10,000/- per day, thereafter till the system is made functional.
ii	Vacuum Supply System	
iii	Nitrous Oxide System	
iv	Medical Air Supply System	
v	Surgical Air Supply System	
vi	Co2 supply system	
vii	Any failure in the distribution pipe Line, Outlet point, valve, Suction Assl., Regulator, Oxygen Flow meter/ F.A Valve etc.	In case, the successful Tenderer does not replace the attachment /accessory within 02 hrs., a penalty of Rs. 100.00 per day for first day and Rs. 200.00 per day thereafter shall be levied till said FAILURE is remedied.

(b) The breakdown of stand by units (For (i) to (IV)) is allowed up to 48 hrs only. Beyond 48 hrs, the penalty of Rs. 1000/- for first 24 hrs and Rs. 2000/- per day there after shall be imposed on the Successful Tenderer till the standby units are rectified.

(c) Operational charges shall not be payable to Successful Tenderer during the period of breakdown of any system. In case the Successful Tenderer fails to maintain supply of medical gases up to the user end due to any reason, then the operational charges shall not be payable for that period.





संजय गॉधी स्नातकोत्तर आयुर्विज्ञान संस्थान, लखनऊ

Sanjay Gandhi Post Graduate Institute of Medical Sciences,  
Rae-Bareli Road, Lucknow-226014

(d) If the system failure occurs due to electrical fault after the battery limit, the penalty shall not be levied.

(7) **Payment & Escalation:-**

(a) Payment shall be released against submission of monthly bills in duplicate by the successful tenderer for satisfactory performance of work, which shall be certified by the Medical Superintendent/Chief Medical Superintendent for the said purpose.

(b) The variation in the wages of labour, cost of materials and general commodities and other possibilities of each and every kind should be considered before quoting the rates and no claim for increase in rates due to any cause, whatsoever, on this account shall be entertained for initial one year from the date of commencement of the contract. Increase in the value of contract shall be considered after one year if:-

(i) There is increase in the labour wages by the UP state Government.

(ii) There is increase in the whole sale price index (Machine & Tools) recognized by RBI subject to the submission of proof by the successful tenderer.

